



## Request For Water Analysis

A form is required for each request for water analysis. All results will be sent by mail, e-mail, and/or faxed to requesting party only.

Please indicate which tests are requested:

- Presence/Absence of Bacteria (MMO-MUG)
- Presence/Absence of Bacteria (MMO-MUG), and Nitrate/Nitrite
- Presence/Absence of Bacteria, Nitrate/Nitrite, Iron, Hardness, Chloride, and Fluoride
- Partial Chemistry only: Nitrate/Nitrite, Iron, Hardness, Chloride, and Fluoride
- Nitrate/Nitrite only

Additional Testing- All testing at this laboratory is done using Environmental Protection Agency (EPA) approved/Accepted methods. The tests listed below may not be suitable for reporting purposes for public water systems.

- Heterotrophic Bacterial Plate Count Drinking Water
- Heterotrophic Bacterial Plate Count Surface Water
- Lead Screen
- Iron Bacteria
- pH and Conductivity
- Other \_\_\_\_\_

**FOR LAB USE ONLY**

Sample # \_\_\_\_\_  
Date Received: \_\_\_\_\_  
Time: \_\_\_\_\_  
Received By: \_\_\_\_\_

Sample Collector Name:	Date Collected	Time	AM PM
System /Owner Name:			
Collection Site (Street Address):			
City:	State:	Zip:	
Township:	County:		
Send Results to (name):			
Mailing Address:			
City:	State:	Zip:	
Telephone: ( )	Fax: ( )	E-mail:	

Disinfected

Removed Aerator

Sampling Point:

Kitchen

Outside Faucet

Other

Bath

Well Tap etc.

Sample Chilled?

Hand Pump

Drinking Fountain

Yes  No

Sampling Source:

Single Family Dwelling

Type I WSSN# \_\_\_\_\_

Type II WSSN# \_\_\_\_\_

Type III (All other public supplies, duplex, small office, etc.)

Swimming Pool or Spa

Industrial / Waste

Lake / Pond

Soil

Sampling Purpose:

Routine Monitoring

Real Estate Transaction

Repeat Sample

Repair / Construction / New Well

Water Quality Problem

Other

Comments: \_\_\_\_\_